



What do you see when you look at a backyard, front porch, or driveway?

At Unilock, we see possibilities.

Possibilities to build works of art and personal playgrounds. Possibilities to bring families together for a birthday barbecue or a wedding reception. Possibilities to transform your imagination into remarkable outdoor spaces, and build connections stronger than the concrete underfoot.

And we don't let possibilities go to waste. Built on more than 50 years of innovation and sustainability, we provide customers the tools to transform dreams into reality. We connect you with proven contractors and supply an endless canvas of materials, but the final product is always uniquely yours. And when your project is complete, you don't just have something beautiful, you've changed the way you see the world.

So, where can you see possibilities, and how can we help you build them?



TABLE OF

Contents



DREAM

6 Start Dreaming

40 Before & After

42 Best in Show Winner

44 Commercial Projects

PRODUCTS

48 Discover your Style

56 Unilock Technologies

62 Collections

75 Natural Stone

79 Elegance Products

92 Pavers & Slabs

156 Retaining Walls

186 Coping, Steps & Treads

LEARN & PLAN

200 Finding the Right Contractor

201 Unilock Resources

203 Outdoor Idea Center

205 Build Basics

207 Quality Commitment



Dream

Begin with a dream of what's possible

Imagine an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.




Pavers: Soreno™ (Dark Charcoal) with Mattoni™ (Granite Fusion) paver rugs and accents


Vertical Features: U-Cara° Smooth (Granite Fusion)













This sleek lakeside patio features an L-shaped kitchen and cozy fire table, creating the perfect gathering place for family and friends while enjoying stunning views.





The timeless appeal of Town Hall pavers in a herringbone pattern delivers a warm welcome.





Pavers: Town Hall* (3 Color Blend) and Town Hall (Basalt) accent




Pavers: Arcana™ (Corvara) with Ledgestone™ Fullnose (Grey) pool coping

Fire pit: Lineo™ Dimensional Stone (Granite) with Ledgestone Fullnose (Grey) coping


Pillars: Lineo Dimensional Stone (Granite with Graphite accent) and Ledgestone (Grey) pillar cap











Geometric pavers and contrasting lines of turf deliver a mosaic-like appearance on this monochromatic pool deck. This contemporary patio blends rustic elements with a large Brussels Dimensional Stone TV wall, serving as a striking centerpiece for alfresco viewing.






Pavers: Bristol Valley®
(Bavarian) with Copthorne®
(Basalt) accents

Vertical Features:

Brussels Dimensional Stone (Sierra) with Ledgestone™ (Buff) coping and pillar caps








This dramatic multi-level patio makes the most of its lakeside setting. The lake-level fire pit beach area is the perfect vantage point to catch the sunset.






Pavers: Umbriano° (Summer Wheat) with Mattoni™(Sable Blend)

Retaining Wall and Fire pit: SienaEdge™ (Fieldstone)








Contrasting squares and rectangles define this stunning kitchen. A nearby seating area with hexagonal pavers creates an intimate nook.







Pavers: Arcana" (Modena) with Mattoni" (Dark Charcoal) banding and Umbriano* Hex (Winter Marvel) accent areas


Grill Island: U-Cara® Smooth (Dark Charcoal)












Clean, granite-like pavers make this ultra-modern pool deck comfortable and cool underfoot on hot, sunny days. Adding to the ambiance of this summer escape is a soothing water feature.





Pavers: Umbriano® with Umbriano coping (Grenada White)

Water Feature and wall: U-Cara® Umbriano with Umbriano coping (Grenada White)



Scan here for project video

Urban slabs and U-Cara subway panels create a forward-thinking backyard, enhanced by biophilic design elements that add vibrant pops of color.






Pavers: Urban[™] (Linen Buff) and Copthorne[®] (Burnt Clay)

Vertical Features: U-Cara* Subway (Indiana Buff - Special Order) with Urban coping (Linen Buff)











Copthorne pavers in a herringbone pattern create a charming pathway through this versatile outdoor patio, inviting you to explore all the wonderful features this space has to offer.





Pavers: Beacon Hill™ Smooth (Granite Fusion) with Copthorne® (Basalt and Steel Blue) walkway and area rug

Vertical Features: Rivercrest[®] Wall (Coastal Slate) with Natural Stone coping



Experience modern luxury with Beacon Hill slabs arranged in a running bond pattern in this backyard retreat that beckons you to relax and enjoy every moment.







Pavers: Beacon Hill™ Smooth (Opal Blend) with Copthorne® (Basalt) accents

Steps: Lineo[™] Dimensional Stone (Graphite) with Umbriano[®] (Winter Marvel) coping











Slabs laid in a stacked bond pattern add to the long, clean lines of this contemporary pool area. Nearby steps lead to a natural-canopied setting for alfresco dining.

Pavers: Umbriano® (French Grey)

Walls and Steps: U-Cara® Umbriano with Umbriano coping (Winter Marvel)





This ultra-modern patio beckons moonlit conversations around the rectangular fire feature, set against the stunning backdrop of breathtaking lakeside views.






Pavers: Arcana" (Modena)
with Vivanto accents

Walls: U-Cara* Umbriano*
Finish (Winter Marvel)
with Series" (Onyx Black)
accent and Universal
Coping (Grey)










Pavers: Beacon Hill™ Smooth Slab (Bavarian Blend) with Copthorne® (Basalt) accent


Retaining Wall and Grill Island: U-Cara[®] Smooth (Bavarian Blend)








An elevated platform sets the stage for next-level entertaining with a half circle bar and grill island, pool and loungers.









Pavers: Beacon Hill" Smooth (Granite Fusion) with Mattoni" (Granite Fusion, Sable Blend and Dark Charcoal) accents and paver rug

Retaining Wall: SienaEdge[™](Granite)

Fire pit: U-Cara® Pitched (Granite Fusion) with Natural Stone (Stone Cliff Grey) coping






Pavers: Treo® Smooth (Granite) with Copthorne® (Basalt) accent and Umbriano® (French Grey) inlays

Fire pit: Brussels Dimensional Stone® Sunset Fire pit (Granite) with Ledgestone™ (Buff) fire pit coping

Retaining Wall, Steps, and Vertical Features: U-Cara* Smooth (Granite Fusion) with Ledgestone (Buff) coping












A curved seat wall leads to a circular fire pit, with a sizable pool deck perfect for entertaining the family. Who says pavers can't be used indoors? The sleek elegance of Soreno seamlessly unites an indoor pool with an extended outdoor patio.






Soreno™ (Toscana Beige)





Transforming Hardscapes



"Our contractor's mock-up helped us visualize the backyard, but the final result still exceeded our expectations!"

BEFORE

John & Kiki

Lake home backyard goes from drab to fabulous

The walls of windows in this two-level home invited the sun to stream in and offered sweeping views of beautiful Lake Mendota in Wisconsin. But the original backyard was uninspiring, with a small, brown-toned brick patio and underutilized space that did little to enhance this incredible setting.

New owners, John and Kiki had a different vision for their all-season family retreat. They wanted to make full use of their backyard by creating a contemporary, functional living space designed to maximize enjoyment of their spectacular lakeside vista. What they got, exceeded their expectations.

Before and After



A grand, art-deco-style staircase was constructed with Unilock steps providing easy access to the beckoning waters below.





Today, an expansive Unilock Arcana™ patio encompasses a dining area, plenty of relaxed seating, and a fire bowl lounge, creatively highlighted with a contrasting tone of hexagonal Umbriano® pavers in French Grey. The existing retaining wall was replaced with a Unilock wall featuring stepped garden boxes filled with lush greenery, for a natural, cozy ambiance.

Given the home's proximity to the lake, pavers were laid on a permeable base with larger joint spacing filled with permeable resin sand to assist with water management in the event of flooding. This proved a wise move, as some flooding has occurred since the build with the paver project holding steadfast.

In place of the old, sloped flagstone pathway, a grand, art-deco-style staircase was constructed with Unilock steps providing easy access to the beckoning waters below.





D&B Landscaping Services Inc., in collaboration with Aniascape LLC

Best in Show Winner



The homeowners envisioned a sprawling, Miami resort-inspired backyard patio.

The owners of this modern home envisioned a sprawling, Miami resort-inspired backyard patio. To bring this vision to life, they collaborated with Manuel Hernandez of D&B Landscaping and Ania Rossi of Aniascape LLC, who used Unilock® Uvision® 3D Landscape Creator to craft the initial design plan.

Given the narrower lot, Ania and Manny chose Beacon Hill™ Smooth XL slabs in Fossil, to create an expansive, upscale look and feel. Beacon Hill XL in a stacked bond pattern forms a clean, minimalist foundation for the patio, while smaller units used for the step risers provide a cohesive light tone



throughout. The risers are crowned with Architectural™ Coping in Charcoal, adding visual contrast to the lighter hues, while complementing the home's darker roof and window accents.

The upper patio features an outdoor kitchen built with U-Cara® Smooth in Granite Fusion, bar seating, and a dining nook perfect for alfresco meals. A nearby lounge area faces a built-in TV wall, seamlessly blending indoor and outdoor spaces.

Near the pool's edge, two fire tables with matching U-Cara Smooth panels, Architectural coping, and a row of beach loungers complete the serene setting.

Each product chosen was manufactured with EnduraColor™ technology for long-lasting color and durability, helping to transform this breathtaking patio into a space for cherished memories filled with laughter and love.



"The XL size
of Beacon Hill
provided the right
aesthetic look
to create a nice
expansive patio
space for the
homeowner"

Ania Rossi


ANIASCAPE LLC



Scan here for

From Backyard Escapes to Landmark Spaces


Architects and engineers have used Unilock products to shape iconic public spaces across North America for decades. Now, bring that same trusted quality home and create your own space that's designed to impress, and built to last.






Navy Pier. Chicago, IL Designer: James Corner Field Operations

Frederik Meijer Gardens & Sculpture Park, Grand Rapids, MI Designer: Todd Williams Billie Tsien & Progressive AE






57 Alexander Yonkers Roof Deck, Yonkers, NY Designer: Perkins Eastman



Products

Capture the eye with exclusive products


From weathered cobblestone to contemporary linear, our product selection reaches beyond the horizontal to include garden walls, pillars, steps, fire tables and fountains. Rock the look that is unmistakably you, and undeniably Unilock!



Select your Color

Begin by identifying the colors that resonate with you. Consider the mood you want to create, while still complementing the exterior of your house. Calming blues, vibrant reds or earthy neutrals.





Choose your **Shape**









What will you create?

Let your imagination run wild in the playground of Unilock paving products! From traditional squares, to modern planks, geometrics and timeworn historic shapes, the choices are many. Consider combining multiple shapes to give your project added depth.







There's a growing trend of mixing materials to soften hard surfaces, such as combining artificial turf between pavers.




CONTEMPORARY

ULTRA-MODERN HISTORIC Whether you're designing a quaint backyard refuge or an ultra-modern driveway, we have a variety of paving products that'll turn your outdoor space into a little slice of heaven. TREND WATCH Turning functional spaces like driveways and walkways into style statements is on trend.


Pick your Pattern

From herringbone to basket weave, the right angle can make all the difference! A Unilock Authorized Contractor can recommend the best laying patterns based on the products you choose.


RANDOM




LINEAR




DESIGNER



STACKED



HERRINGBONE









THINK OUTSIDE THE BOX

A change in laying pattern can help define distinct "rooms" that will make your outdoor space feel larger.

Visit Unilock.com for laying patterns.

Find your **Finish**



Layering different finishes for a mixed-material look helps add visual interest and make your project feel more polished.



Unilock Finishes

When considering the finish, think about the look you are trying to achieve as well as practical performance. From traditional smooth and flagstone, to enhanced surfaces, modern granite looks and timeworn patina, Unilock offers it all.

SMOOTH FINISH



Sometimes, simple is best.
A smooth surface suits
contemporary styles and is
available in a wide variety of
shapes for paving and verticals.

FLAGSTONE FINISH



Popular for centuries, a flagstone finish never fails to add warmth to outdoor spaces.

ANTIQUED FINISH



A variety of methods are used to achieve this distressed finish, but in every case, it lends a relaxed, rustic vibe.

TIMEWORN



Our exclusive Elegance line offers the look of centuries-old cobblestone, brick, and natural stone with unsurpassed product durability.

BRUSHED FINISH



Only Unilock offers II Campo*, a unique surface enhanced with graphically interesting etched lines. This finish has long been a favorite of commercial designers.

UMBRIANO



Umbriano is an exclusive finish only available from Unilock with color and granite particles that are randomly dispersed to achieve a unique mottled surface that is reminiscent of granite.

EXPOSED GRANITE



Granite, Quartz and Marble particles are embedded in the product's surface and then revealed using additional processing methods.

ENHANCED SURFACE



The surface of these products is enhanced using a special process to reveal a variety of distinctive colors and textures.

Get Creative





Let your creativity shine! Unilock border and banding options can enhance your distinctive designs and add touches of elegance to your project.

JOINT MATERIAL





Joint material plays an important role between pavers by keeping out weeds and other debris. However, the color you choose can also dramatically impact the look of your project. Your contractor can help you decide what will work best.



Experiment with bold shapes and striking patterns. Design a driveway with vibrant color contrasts, or add dimension to vertical features with textures that truly stand out.







Break the mold and bring your space to life by pairing dark field pavers with light accent pavers for added drama.

Don't settle for less

The majority of your project's cost lies beneath the surface, in labor and base materials, so don't be tempted to compromise on the product you choose for its surface. Invest in a look you really love, with high quality Unilock products and technologies, so you'll be able to fully enjoy your project for years to come.

Small upgrade - Big difference






- Reduced dirt absorption
- Enhanced surface color
- ✓ More resistant to wear
- ✓ Stains less likely to develop







Color that Lasts

Traditional pavers can appear to fade over time as the surface wears to reveal large, lighter colored structural aggregates.

EnduraColor products are different.

A two-step manufacturing process uses concentrated color and wear-resistant materials to produce a refined, color-dense surface that lasts.





In 2021, Unilock announced its commitment to becoming a carbon neutral company.



Paving a greener way



How can you make your project more sustainable?

Make it Permeable

Permeable pavers allow rainwater to flow through the pavement surface and back into the subsoil below, filtering out contaminants that could otherwise flow into stormwater drains and pollute local waterways.

Shop Locally

Choosing products that are manufactured at a Unilock facility close to your home reduces carbon emissions associated with transportation.

Think Lighter

Products that are lighter in color, have a higher solar reflectance. When you choose a lighter colored product, more of the sun's energy is reflected and less heat is absorbed into the pavement surface. This helps reduce urban 'heat island effect' and carries a number of environmental benefits.

We have implemented initiatives that continue to minimize our use of fossil fuels, conserve water and replace cement in our products, while producing the highest quality product.





Revolutionary EcoTerra technology offers a sustainable paving solution with its cement-free face-mix. It provides high compressive strength, low absorption, and remarkable colorfastness, all while contributing up to a 15% reduction in carbon dioxide emissions. Additionally, EcoTerra products are designed to be free of efflorescence.





Permeable Pavements ©

Unilock introduced the first permeable paver to North America in 1991. Long used to manage water in commercial projects, in recent years, increased storm events and residential flooding have motivated more and more homeowners to install permeable pavers in their own projects.

At first glance, permeable pavers look similar to traditional pavers. The difference lies in the width of the joint between units, the material used to fill the joints, and the base upon which the pavers are installed. Wider joints, permeable joint material and an open graded base design all work together to direct water through the surface and into the subsoil below, instead of flowing off the surface and into overburdened storm sewer systems.



Special materials are used in the joints and in the permeable base below, to encourage water to flow through.

Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems.



Permeable Paver Benefits



Reduced Flooding

Storm sewers are less likely to overflow when more rainwater flows through the pavement surface.



Improved Filtration

Road salts, pesticides, oil and other harmful pollutants are naturally filtered through a permeable system before they reach rivers and lakes.



Increased Square Footage

Installing a permeable driveway can enable homeowners who live in regions where the ratio of impervious lot coverage is restricted, to install new landscape features such as a pool.



Safety

Decreased puddling on the surface of permeable pavement will reduce ice build-up in winter.



Long-term Savings

Rainwater collection systems beneath pavers can reduce the expense of water used for irrigation and may be eligible for tax credits and subsidies.



Keep an eye out for our permeable icon throughout our product pages.

While all segmental paving can be permeable to some degree, these products feature special spacer bars that promote exceptional flow-through.

ECO-HEX™

ECO-PRIORA™

ECO-PROMENADE™

NORDIC COBBLE™

TREO SMOOTH™

TRIBECA COBBLE™

TOWN HALL





Collections

Unilock Collections streamline the product selection process by offering pavers, walls, steps and coping that will work well together to enhance any outdoor space.

Umbriano® Collection (Grenada White) 62



Arcana

COLLECTION

A bold choice for contemporary luxury





PATIOS & POOL DECKS



VERTICAL FEATURES

ENTRANCES & WALKWAYS



STEPS & COPING



SLABS




SMOOTH WALL




NATURAL STONE STEPS & COPING





Arcana™ collection






Beacon Hill


COLLECTION

From contemporary to traditional, this collection has something for everyone






PATIOS & POOL DECKS



VERTICAL FEATURES

ENTRANCES & DRIVEWAYS



STEPS & COPING



SMOOTH PAVERS AND WALLS









FOSSIL

GRANITE FUSION

OPAL BLEND

OAT BEIGE

FLAGSTONE PAVERS / PITCHED WALLS





COPING

WALL ACCENT





FOSSIL

GRANITE FUSION

DARK CHARCOAL

TEXTURED WALLS









FOSSIL

GRANITE FUSION

OPAL BLEND

DARK CHARCOAL



Beacon Hill collection

| SMOOTH AND FL | AGSTONE PAVERS | Se | e page 100-104 for product details |
|-----------------------|-------------------------|------------------|-------------------------------------|
| | RANDOM BUNDLE | ≣ | |
| | // 22½ x 15 | | |
| | // 15 x 15 | // 7½ x 15 | |
| | // 7½ x 15 | Smooth Only | |
| | | | |
| SMOOTH SLAB | | | See page 106 for product details |
| | | | |
| | | | |
| | | | |
| | | | |
| | // 001/ v 77 1/" | | |
| | // 22½ x 37½" | | |
| | | | |
| SMOOTH, PITCHE | ED AND TEXTURED WAL | L AND STEP See | e pages 173-176 for product details |
| | // U-Cara Fascia Panel | // U-Cara Accent | |
| | 18 x 6" | O-cara Accent | |
| | 10 X 0 | 9 x 3" | |
| | // 2 Unit Corner Bundle | 3 3 3 | |
| | 21 x 6" | | |
| | 9 x 6" | | |
| | 0 / 0 | | |
| SMOOTH CODING | | | |
| SMOOTH COPING | - | | See page 191 for product details |
| | | | |
| | | | |

// 24 x 14"


Fullnose or Chamfered



Umbriano

COLLECTION

Sleek, modern look of granite





PATIOS & POOL DECKS



VERTICAL FEATURES

DRIVEWAYS & ENTRANCES



STEPS & COPING





FRENCH GREY



GRENADA WHITE



SUMMER WHEAT



WINTER MARVEL



MIDNIGHT SKY










Umbriano collection



Fullnose or Chamfered

Natural Stone

PRODUCT LINE

Natural beauty that endures





PATIOS



POOL DECKS

ENTRANCES & WALKWAYS




STEPS & COPING



Natural Stone

INDIVIDUAL SLABS

Sawn Edge



24 x 24 23½ x 23½ x ½" 590 x 590 x 22mm



12 x 24 11½ x 23¼ x ¾" 290 x 590 x 22mm

24 x 36 23½ x 35 x ½" 590 x 890 x 22mm



18 x 24 17³/₈ x 23¹/₄ x ⁷/₈" 440 x 590 x 22mm



CASCADE SANDSTONE





GREYFIELD SANDSTONE




BLACK RIVER LIMESTONE

4 UNIT RANDOM BUNDLE

Sawn Edge

Stone Cliff Grey and Hearthstone only



24 x 24 23½ x 23½ x 1½" 590 x 590 x 38mm

12 x 24 11½ x 23¼ x 1½" 290 x 590 x 38mm

24 x 36 23½ x 35 x 1½" 590 x 890 x 38mm

18 x 24 17³/₈ x 23¹/₄ x 1¹/₂" 440 x 590 x 38mm



STONE CLIFF GREY SANDSTONE




HEARTHSTONE LIMESTONE Slabs only

▲ NEW

NEW CORNER COPING

Fullnose and Straight Edge


Corner coping provides seamless 90° corners for pool, walls and so much more.



NEW INSERT COPING

Sawn Edge


Insert coping is ideal for those retractable pool covers. Allowing easy access while keeping a continuous look and feel.



24 x 24 x 2" 600 x 600 x 50mm


COPING

Fullnose, Rockface and Straight Edge




PILLAR CAPS

Rockface and Straight Edge




24" PILLAR CAP 235% x 235% x 25%" 600 x 600 x 64mm



28" PILLAR CAP 28 x 28 x 25/8" 710 x 710 x 64mm

STEP

Rockface and Straight Edge



48 x 16 47½ x 15¾ x 5⅓" 1200 x 400 x 150

EDGE DETAILS





Elegance


PRODUCT LINE

Deep rich colors and timeless textures





DRIVEWAYS




VERTICAL FEATURES

ENTRANCES & WALKWAYS



PATIOS





Copthorne®

Inspired by the enduring charm of European street pavers, Copthorne combines classic beauty with exceptional strength—up to four times that of traditional concrete. Crafted from varied stone textures, its authentic, richly colored surface elevates any space with sophistication and lasting resilience, making it the ultimate choice for a timeless elegance.

See page 112 for product details






Courtstone®

With its polished finish and old-world sophistication, Courtstone transforms driveways and walkways into luxurious landscapes. Cast from authentic European cobblestones yet manufactured for exceptional interlock and ease of installation, its rich, versatile color palette makes Courtstone a go-to for creating striking driveways, intricate borders, and standout banding accents.

See page 114 for product details








Richcliff®

Inspired by the rugged beauty of natural cut flagstone, Richcliff blends durability with timeless aesthetics for driveways, patios, and commercial spaces. Its multitude of stone textures create a seamlessly random, organic look that echos nature's design, yet it's built to withstand the elements without cracking or fading. Richcliff delivers timeless beauty with lasting resilience.

See page 130 for product details





Town Hall®

Modeled after iconic North American clay pavers, Town Hall brings historic charm to traditional and permeable landscapes alike. Its deep colors and classic silhouette are ideal for borders, statement accents or driveways. Each paver is cast from a blend of surfaces to deliver a vintage, streetscape allure that enriches any project with a sense of heritage.



11





Rivercrest®

Designed to evoke the timeless beauty of stacked flagstone, Rivercrest offers the elegance and character of natural stone with the durability, affordability, and ease of installation of a high-quality wall system. Perfect for garden walls and pillars, Rivercrest blends seamlessly with any landscape, offering an award-winning solution for modern yet classic outdoor design.

SELEGANCE

See page 170 for product details




Buff with Ledgestone™ coping





Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles, the choices available in our paver collection are unrivaled in the industry.





Arcana™

Exclusive to **UNILOCK**









AVORIO

MODENA

CORVARA

VIVANTO

INDIVIDUAL UNITS PEDESTRIAN ONLY

Enhanced Surface


24 x 24 23% x 23% x 2" 606 x 606 x 50mm



18 x 24 17% x 23% x 2" 453 x 606 x 50mm



12 x 24 11½ x 23½ x 2" 301 x 606 x 50mm









Artline[™] Umbriano[®] Finish







WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY

7 UNIT RANDOM BUNDLE DRIVE FRIENDLY

| | $7\frac{1}{2} \times 17^{3}/4 \times 2^{3}/4$ " | 7½ x 133/8 x 23/4" | 7½ x 83/8 x 23/4" |
|--|---|--------------------|-------------------|
| | 188 x 450 x 70mm | 188 x 338 x 70mm | 188 x 225 x 70mm |

4⁷/₈ x 17³/₄ x 2³/₄" 125 x 450 x 70mm 4% x 133/8 x 23/4" 125 x 338 x 70mm

4% x 10% x 2¾" 125 x 263 x 70mm 4% x 6¾ x 2¾" 125 x 169 x 70mm



Artline™ II Campo® Finish







BAVARIAN BLEND

GRANITE BLEND

Exclusive to **UNILOCK**

7 UNIT RANDOM BUNDLE DRIVE FRIENDLY 7 1/2 x 173/4 x 23/4" 7 1/2 x 133/8 x 23/4" 7 1/2 x 87/8 x 23/4" 188 x 450 x 70mm 188 x 338 x 70mm 188 x 225 x 70mm 4 1/8 x 173/4 x 23/4" 4 1/8 x 133/8 x 23/4" 4 1/8 x 103/8 x 23/4" 4 1/8 x 63/4 x 23/4" 125 x 450 x 70mm 125 x 338 x 70mm 125 x 263 x 70mm 125 x 169 x 70mm



Artline[™] Smooth Finish











BAVARIAN BLEND FOSSIL STEEL MOUNTAIN

7 UNIT RANDOM BUNDLE DRIVE FRIENDLY

| 7½ x 17³/4 x 2³/4" 188 x 450 x 70mm | 7½ x 13¾ x 2¾" 188 x 338 x 70mm | 7½ x 8¾ x 2¾" 188 x 225 x 70mm | |
|--|------------------------------------|-----------------------------------|------------------|
| 4½ x 17¾ x 2¾" | 4½ x 13¾ x 2¾" | 4% x 10% x 2¾" | 4½ x 6¾ x 2¾" |
| 125 x 450 x 70mm | 125 x 338 x 70mm | 125 x 263 x 70mm | 125 x 169 x 70mm |





Beacon Hill Flagstone







ALPINE GREY

BAVARIAN BLEND

FOSSIL

3 UNIT RANDOM BUNDLE 60MM & 80MM

60mm not suitable for vehicular applications. 80mm can handle vehicular loads.




Large Rectangle $15 \times 22\frac{1}{2} \times 2^{3}\frac{1}{8}(3\frac{1}{8})$ " $380 \times 570 \times 60(80)$ mm

Small Rectangle 7½ x 15 x 2¾ (3½)" 190 x 380 x 60 (80) mm Square 15 x 15 x 2³/₈ (3¹/₈)" 380 x 380 x 60 (80) mm

SLAB

XL UNIT $22\frac{1}{2} \times 37\frac{1}{2} \times 2^{3}\frac{8}{8}$ " $570 \times 950 \times 60$ mm







Available in Opal Blend, Oat Beige and Platinum





Beacon Hill Smooth

60mm







BAVARIAN BLEND

FOSSIL

GRANITE FUSION

EASYCLEAN TECHNOLOGY







OPAL BLEND

OAT BEIGE (CHAMPAGNE)

PLATINUM

▲ NEW

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



Large Rectangle 15 x 22½ x 23/8" 380 x 570 x 60mm

Small Rectangle $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm Square 15 x 15 x 23/8" 380 x 380 x 60mm

SMALL RECTANGLE SOLD SEPARATELY
















Bavarian Blend Granite Fusion Opal Blend

Oat Beige (Champagne)

lvory Dark Charcoal

102





Available in Opal Blend, Oat Beige and Platinum as Special Order





Beacon Hill™ Smooth

80mm







BAVARIAN BLEND

GRANITE FUSION

FOSSIL Special Order

EASYCLEAN TECHNOLOGY









OPAL BLEND

OAT BEIGE (CHAMPAGNE)


PLATINUM

▲ NEW

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY

Large Rectangle 15 x 22½ x 3½" 380 x 570 x 80mm

Small Rectangle 7½ x 15 x 3½" 190 x 380 x 80mm Square 15 x 15 x 31/8" 380 x 380 x 80mm









Beacon Hill[™] Smooth







BAVARIAN BLEND

GRANITE FUSION

FOSSIL

EASYCLEAN TECHNOLOGY







OPAL BLEND

OAT BEIGE (CHAMPAGNE)


PLATINUM

▲ NEW

SLAB PEDESTRIAN ONLY



XL UNIT $22\frac{1}{2} \times 37\frac{1}{2} \times 2^{3}\frac{8}{8}$ 570 x 950 x 60mm










Bristol Valley®

Exclusive to **UNILOCK**







STEEL MOUNTAIN

FOSSIL


BAVARIAN

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY

Large Rectangle 15 x 22½ x 2¾8" 380 x 570 x 60mm

Small Rectangle 7½ x 15 x 2¾" 190 x 380 x 60mm Square 15 x 15 x 2³/₈" 380 x 380 x 60mm **SLAB** 60MM PEDESTRIAN ONLY

XL UNIT $22\frac{1}{2} \times 37\frac{1}{2} \times 2^{3}\frac{8}{8}$ 570 x 950 x 60mm



Brussels Block









SANDSTONE

SIERRA RIVER


LIMESTONE

| INDIVIDUAL UNITS | DRIVE FRIENDLY | | | ——— Antiqued Finish |
|----------------------------------|----------------|---|--|---------------------|
| XL Ston 8½ x 13³, 208 x 34 | | Standard Stone 6% x 8½ x 2¾" 173 x 208 x 70mm | Half Stone 4 x 6% x 2 ³ / ₄ " 104 x 173 x 70mm | |

FULLNOSE COPING

Antiqued Finish












Copthorne

Exclusive to **UNILOCK**



BURGUNDY RED



BURNT CLAY



OLD OAK




3 COLOR BLEND Blended on Site




ARCTIC GREY



STEEL BLUE



BASALT



3 COLOR GREY BLEND Blended on Site

INDIVIDUAL UNIT DRIVE FRIENDLY









Courtstone

Exclusive to **UNILOCK**



BASALT



DAWN MIST



BELGIAN BLUE



PEBBLE TAUPE



BASALT / BELGIAN BLUE Blended on Site



DAWN MIST / PEBBLE TAUPE Blended on Site

5 UNIT RANDOM BUNDLE DRIVE FRIENDLY



XL Rectangle 51/8 x 83/8 x 23/8" 130 x 215 x 60mm Large Rectangle 51/8 x 71/4 x 23/8" 130 x 185 x 60mm Small Rectangle 51/8 x 53/4 x 23/8" 130 x 145 x 60mm Rectangle 51/8 x 61/2 x 23/8" 130 x 165 x 60mm Square 51/8 x 51/8 x 23/8" 130 x 130 x 60mm














FRENCH GREY



INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

Umbriano® Finish

Exclusive to **UNILOCK**



8 x 8 71/8 x 71/8 x 23/8" 200 x 200 x 60mm



Eco-Promenade®











ECOTERRA

Reduced carbon emissions and refined surface protection

LIGHT OPAL BLEND

LIGHT STEEL GREY BLEND

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY — Enhanced Surface

4 x 12 3½x 11½ x 3½" 100 x 300 x 80mm



Eco-Priora™ **⊘**





RIVER SIERRA

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

5 x 10 4³/₄ x 9¹/₂ x 3¹/₈" 120 x 240 x 80mm





Eco-Priora™ Premier •







GRANITE SIERRA A NEW

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

5 x 10 4³/₄ x 91/₂ x 31/₈" 120 x 240 x 80mm









ARCTIC GREY NORDIC STAR

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

Enhanced Surface

4 x 12 3%x 11% x 3%" 100 x 300 x 80mm



Eco-Promenade W Umbriano ENDURACOLOR









WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

Exclusive to **UNILOCK**

4 x 12 3%x 11% x 3%" 100 x 300 x 80mm

120





Granito[™]

Exclusive to **UNILOCK**

3 UNIT RANDOM BUNDLE

FLAGSTONE TEXTURE







NOTTE SABIA SCURO

PEDESTRIAN ONLY



Large Rectangle 141/4 x 211/4 x 23/8" 360 x 540 x 60mm

Small Rectangle 7 x 14½ x 2¾" 180 x 360 x 60mm Square 141/4 x 141/4 x 23/8" 360 x 360 x 60mm

HEX UNIT DRIVE FRIENDLY

SMOOTH TEXTURE








NOTTE SABIA SCURO



8 x 8 7% x 7% x 23/4" 200 x 200 x 70mm



Hollandstone[®]









RIVER


SIERRA

AUTUMN RED

CHARCOAL

INDIVIDUAL UNITS DRIVE FRIENDLY

4 x 8 3% x 7% x 23/8" 100 x 200 x 60mm 4 x 8 3% x 7% x 3%" 100 x 200 x 80mm Special Order





Holland Premier



RIVER



SIERRA



CHARLESTON



HERITAGE BROWN



GRANITE BLEND



IVORY



DARK CHARCOAL


INDIVIDUAL UNITS DRIVE FRIENDLY

4 x 8 31/8 x 71/8 x 23/8" 100 x 200 x 60mm 4 x 8 31/8 x 71/8 x 31/8" 100 x 200 x 80mm Special Order



Mattoni™





GRANITE FUSION



DARK CHARCOAL



SABLE BLEND




COCOA BROWN

INDIVIDUAL UNIT DRIVE FRIENDLY


Exclusive to **UNILOCK**

2³/₈ x 9¹/₂ x 2³/₈" 60 x 240 x 60mm




Nordic Cobble[™] **⊘**









OPAL BLEND

GRANITE FUSION


DARK CHARCOAL

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY

Exclusive to **UNILOCK**



Trapezoid $3^{5}/_{8} \times 3^{3}/_{4} \times 2^{3}/_{8}$ " $89.9 \times 94 \times 60$ mm









Richcliff*


Exclusive to **UNILOCK**



SMOKE SHALE DAWN MIST



N MIST PEBBL



PEBBLE TAUPE




PEBBLE TAUPE / DAWN MIST Blended on Site

| 3 UNIT RANDO | M BUNDLE DRIVE | FRIENDLY | | |
|--------------|----------------------|---------------------|-----------------------------|--|
| | | | | |
| | | | | |
| | | | | |
| | Rectangle | Square | Small Rectangle | |
| | 81/8 x 111/8 x 23/8" | 81/8 x 81/8 x 23/8" | $5\% \times 8\% \times 2\%$ | |
| | 226 x 300 x 60mm | 226 x 226 x 60mm | 150 x 226 x 60mm | |

| LARGE RECTANGLE | PEDESTRIAN ONLY |
|-----------------|-----------------|
|-----------------|-----------------|

| 11% x 20% x 23/6" 302 x 528 x 60mm |
|---------------------------------------|







LEFT Artline[™] (Steel Mountain) with Onyx Black accent

RIGHT Lineo Dimensional Stone (Granite Blend) with Onyx Black accent and Ledgestone™ (Grey) coping and pillar cap



Series[™]

60MM DRIVE FRIENDLY

Exposed Granite







4 x 8 3% x 7% x 23/8" 100 x 200 x 60mm

80 MM PERMEABLE DRIVE FRIENDLY

Exposed Granite







4 x 12 3% x 11% x 3½" 100 x 300 x 80mm

ARCTIC GREY

NORDIC STAR

ONYX BLACK



Skyline™







Perfect for roof decks and other raised floor applications.

Ask us about our new Skyview[™] pedestal system.

SILVER GREY CHAMOIS



SLAB

PEDESTRIAN ONLY

24 x 24 23⁵/₈ x 23⁵/₈ x 2" 606 x 606 x 50mm













TOSCANA BEIGE LIGHT GRANITE

DARK CHARCOAL (Blasted Surface)

INDIVIDUAL UNIT PEDESTRIAN ONLY





Enhanced Surface

16 x 32 x 2" 407 x 815 x 50mm









Town Hall *

Exclusive to **UNILOCK**



BURGUNDY RED



BURNT CLAY



OLD OAK




3 COLOR BLEND Blended on Site



BASALT

INDIVIDUAL UNIT PERMEABLE DRIVE FRIENDLY



Treo Smooth



3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY

Large Rectangle Square Small Rectangle
87% x 133% x 23/8" 87% x 23/8" 4½ x 87% x 23/8"
225 x 337.5 x 60mm 225 x 225 x 60mm 112.5 x 225 x 60mm



Tribeca Cobble®





Exposed Granite


COBALT GREY

PEPPERED GRANITE

3 UNIT RANDOM BUNDLE PERMEABLE DRIVE FRIENDLY

Large Rectangle 5 x 12 x 2³/₄" 130 x 305 x 70mm Medium Rectangle 5 x 9 x 2³/₄" 130 x 230 x 70mm

Small Rectangle 5 x 7 x 2³/₄" 130 x 175 x 70 mm







Umbriano[®] 50 & 60mm

Exclusive to **UNILOCK**



SUMMER WHEAT



WINTER MARVEL



GRENADA WHITE




FRENCH GREY



MIDNIGHT SKY

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY



Large Rectangle 15 x 22½ x 23/8" 380 x 570 x 60mm

Small Rectangle $7\frac{1}{2} \times 15 \times 2\frac{3}{8}$ " 190 x 380 x 60mm Square 15 x 15 x 23/8" 380 x 380 x 60mm



Small Rectangle 7½ x 15 x 23/8" 190 x 380 x 60mm Midnight Sky only

ECO-HEX

Winter Marvel, French Grey and Midnight Sky



8 x 8 71/8 x 71/8 x 23/8" 200 x 200 x 60mm



60MM SLABS* PEDESTRIAN ONLY



 $22\frac{1}{2} \times 37\frac{1}{2} \times 2\frac{3}{8}$ " 570 x 950 x 60mm Zero Chamfer

18 x 36


 $17\frac{3}{4} \times 35\frac{1}{2} \times 2\frac{3}{8}$ " 450 x 900 x 60mm Midnight Sky only

NEW 50MM SLABS* PEDESTRIAN ONLY

12 x 24 11 % x 23 5% x 2" 300 x 600 x 50mm

24 x 24 $23\frac{5}{8} \times 23\frac{5}{8} \times 2$ " 600 x 600 x 50mm

142



ENDURACOLOR





Umbriano[®] 80mm

Exclusive to **UNILOCK**



SUMMER WHEAT



WINTER MARVEL



GRENADA WHITE



FRENCH GREY



MIDNIGHT SKY

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY

Large Rectangle 15 x 22½ x 3½" 380 x 570 x 80mm

Small Rectangle 7½ x 15 x 3½" 190 x 380 x 80mm Square 15 x 15 x 31/8" 380 x 380 x 80mm

SPECIAL ORDER

4 x 12 PERMEABLE DRIVE FRIENDLY


STOCK ITEM



4 x 12 3% x 11% x 3% " 100 x 300 x 80mm

Available in French Grey, Winter Marvel and Midnight Sky only

See page 116 & 119-120 for additional finishes.



UMBRIANO - 70 & 100MM





Exclusive to **UNILOCK**



SUMMER WHEAT



WINTER MARVEL



GRENADA WHITE



FRENCH GREY



MIDNIGHT SKY

| 70MM* PEDESTRIAI Zero Chamfer | N ONLY | ARTLINE BUNDLE DRIVE FRIENDLY |
|---|--|---|
| 8 x 24 7 % x 23 5% x 23/4" 200 x 600 x 70mm | 8 x 16 7 % x 15 3/4 x 23/4" 200 x 400 x 70mm | Available in Winter Marvel, French Grey and Midnight Sky only 7 Unit Random Bundle See page 97 - 98 for other finishes |

100MM* DRIVE FRIENDLY — SPECIAL ORDER




NEW 36 x 3635½ x 35½ x 3½ "
900 x 900 x 100mm



18 x 36 17³/₄ x 35¹/₂ x 3⁷/₈" 450 x 900 x 100mm

^{*} Lead time required.







Urban™





LINEN BUFF

LINEN GREY


SLABS PEDESTRIAN ONLY



18 x 24 17³/₄ x 23⁵/₈ x 2³/₈" 450 x 600 x 60mm



18 x 36 17³/₄ x35¹/₂ x 2³/₈" 450 x 900 x 60mm



$Westport^{*}$








GRANITE SIERRA RIVER

Large Rectangle 10 x 15 x 2³/₄" 254 x 380 x 70mm Square 10 x 10 x 2³/₄" 254 x 254 x 70mm Small Rectangle 5 x 10 x 2³/₄" 127 x 254 x 70mm

SMALL RECTANGLE SOLD SEPARATELY





5 x 10 x 2³/₄" 127 x 254 x 70mm



Westport Smooth







GRANITE SIERRA RIVER

3 UNIT RANDOM BUNDLE DRIVE FRIENDLY

Large Rectangle 10 x 15 x 2³/₄" 254 x 380 x 70mm Square 10 x 10 x 2³/₄" 254 x 254 x 70mm Small Rectangle 5 x 10 x 2³/₄" 127 x 254 x 70mm


SMALL RECTANGLE SOLD SEPARATELY



5 x 10 x 2³/₄" 127 x 254 x 70mm







TOP Quartzite Sand with Unilock Cosmic Grey accent

LEFT Travstone Beige

RIGHT Gotham Nero

Porcelain Tile



Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

16 x 32 PEDESTRIAN ONLY











QUARTZITE DARK GREY

QUARTZITE SAND

NEW ENGLAND WHITE

NEW ENGLAND IVORY

NEW ENGLAND COLD GRAY

Exclusive to UNILOCK

Exclusive to UNILOCK







16 x 32 15³/₄ x 311/₂ x ³/₄" 400 x 800 x 20mm

UNILOCK COSMIC GREY

UNILOCK DOVE GREY TRAVERTINE

24 x 24 PEDESTRIAN ONLY











GOTHAM GREY

GOTHAM NERO

CHAMONIX GREY

CHAMONIX BIANCO

TRAVSTONE BEIGE



NEW ENGLAND WHITE

TRAVSTONE BEIGE



NEW ENGLAND IVORY




NEW ENGLAND COLD GRAY

24 x 24 235/8 x 235/8 x 3/4" 600 x 600 x 20mm

3 UNIT RANDOM BUNDLE PEDESTRIAN ONLY







24 x 24 23⁵/₈ x 23⁵/₈ x 7/₈" 600 x 600 x 20mm

12 x 24 11 1/8 x 235/8 x 1/8" 300 x 600 x 22mm

12 x 12 11 % x 11 % x %" 300 x 300 x 22mm


154





Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and fire pits.







TOP Limestone with Beacon Hill™Smooth (Granite Fusion) paver

 $\textbf{LEFT} \quad \text{Sierra with Bristol Valley} ^\circ (\textbf{Steel Mountain}) \, \textbf{and Copthorne} ^\circ (\textbf{Basalt}) \, \textbf{accent pavers}$

RIGHT Sierra with Copthorne (Basalt) accent and Ledgestone coping (Buff)

Brussels Dimensional Stone









SANDSTONE

SIERRA

LIMESTONE Standard Only

GRANITE Small Tapered Only



STANDARD 11% x 7% x 3%" 300 x 200 x 100mm



SMALL TAPERED 9 x 7% x 3%" 229 x 100 x 200mm



UNIVERSAL U-GRIP[™] **BASE UNIT**19 x 14 x 2½"
482 x 355 x 55mm

SUNSET FIRE PIT KITS





Available in round and square. See page 180 for additional information.







TOP Sierra with Copthorne® (Basalt) accent with Beacon Hill™ Flagstone pavers

LEFT Sierra with Ledgestone™ (Buff) coping

 $\textbf{RIGHT} \quad \mathsf{River} \ \mathsf{with} \ \mathsf{River} \ \mathsf{coping} \ \mathsf{and} \ \mathsf{Ledgestone}^{\scriptscriptstyle{\mathsf{TM}}} (\mathsf{Buff}) \ \mathsf{pillar} \ \mathsf{caps}$

Estate Wall[™]









GRANITE

SIERRA

RIVER

SANDSTONE

3 UNIT 6" BUNDLE



6" Large Unit 15³/₄ x 9 x 5⁷/₈" 400 x 228 x 150mm



6" Medium Unit 11% x 9 x 5%" 300 x 228 x 150mm



6" Small Unit 7% x 9 x 5%" 200 x 228 x 150mm

6" PILLAR/CORNER



125% x 9 x 5 7%" 320 x 230 x 150mm



UNIVERSAL U-GRIP™ BASE UNIT19 x 14 x 2½"
482 x 355 x 55mm







TOP Granite with Holland Premier" (Dark Charcoal) banding and Treo* Smooth (Granite Fusion) pavers with Holland Premier (Dark Charcoal) accent

 $\textbf{LEFT} \quad \text{Sierra with Artline}^{\text{\tiny{TM}}} (\text{Fossil}) \, \text{pavers and Town Hall}^{\text{\tiny{C}}} (\text{Basalt}) \, \text{accent}$

RIGHT Graphite with Granite accent and Natural Stone (Black River) coping

Lineo[®] Dimensional Stone










RIVER

SIERRA

GRANITE BLEND

GRAPHITE

4 UNIT RANDOM BUNDLE



235% x 77% x 37%" 600 x 200 x 100mm



19³/₄ x 7½ x 3½" 500 x 200 x 100mm



15³/₄ x 7½ x 3½" 400 x 200 x 100mm



11% x 7% x 3%" 300 x 200 x 100mm



PILLAR / CORNER


11% x 7% x 3%" 300 x 200 x 100mm

LINEO FIRE PIT



■ NEW

Fire pit insert sold separately. See page 180 for more details.



UNIVERSAL U-GRIP[™] **BASE UNIT**19 x 14 x 2½"
482 x 355 x 55mm







 $\textbf{TOP} \qquad \text{Granite with Ledgestone} \\ \text{``coping with Bristol Valley'', Copthorne''} \\ \text{ and Brussels Block accents} \\$

LEFT Sierra with Bristol Valley® and Copthorne® pavers

RIGHT Sierra with Copthorne accent

Olde Quarry™










SANDSTONE

GRANITE

SIERRA

RIVER

3 UNIT RANDOM BUNDLE



15" Unit 15 (12) x 9 x 4½" 380 x 230 x 114mm



12" Unit 12 (9) x 9 x 4½" 305 x 230 x 114mm




9" Unit $9(6) \times 9 \times 4\frac{1}{2}$ " $230 \times 230 \times 114$ mm



STANDARD 12 x 9 x 4½" 300 x 230 x 150mm



COPING 12 x 12 x 3" 305 x 305 x 76mm



UNIVERSAL U-GRIP[™] **BASE UNIT**19 x 14 x 2½"
482 x 355 x 55mm



Pisa[™] XL








GRANITE SIERRA NEVADA



XL UNIT 15³/₄ x 11⁷/₈ x 5⁷/₈" 400 x 300 x 150 mm




CORNER 11% x 7% x 5%" 300 x 200 x 150mm



COPING 11% x 11% x 3" 300 x 300 x 75mm



UNIVERSAL U-GRIP™ BASE UNIT19 x 14 x 2½"
482 x 355 x 55mm



Pisa XL Smooth



15³/₄ x 11⁷/₈ x 5⁷/₈"


400 x 300 x 150 mm





GRANITE FIELDSTONE

CHARCOAL A NEW







400 x 200 x 150 mm







UNIVERSAL U-GRIP™ BASE UNIT19 x 14 x 21/4"
482 x 355 x 55mm

166







TOP Natural Grey with Beacon Hill™ Smooth pavers and Mattoni™ accents and Ledgestone™ coping

 $\textbf{LEFT} \quad \text{Sandstone with Charcoal accent and Ledgestone (Buff) coping}$

RIGHT Natural Grey



Quarry[™] Smooth








NATURAL GREY

CHARCOAL

SANDSTONE

3 UNIT RANDOM BUNDLE



15" Unit 15 (12) x 9 x 4½" 380 x 230 x 114mm




12" Unit 12 (9) x 9 x 4½" 305 x 230 x 114mm



9" Unit $9(6) \times 9 \times 4\frac{1}{2}$ " $230 \times 230 \times 114$ mm



STANDARD/CORNER 12 x 9 x 4½" 307 x 230 x 114mm



UNIVERSAL U-GRIP[™] **BASE UNIT**19 x 14 x 21/4"
482 x 355 x 55mm







TOP Coastal Slate with Richcliff® (Dawn Mist) pavers

 $\textbf{LEFT} \quad \text{Coastal Slate with Copthorne}^{\circ} (\text{Basalt}) \text{accent and Ledgestone}^{^{\bowtie}} (\text{Grey}) \text{coping}$

RIGHT Coastal Slate with Natural Stone (Black River) coping

Rivercrest Wall



Exclusive to **UNILOCK**







reddot

2013

Rivercrest received the "red dot" award for high design quality and innovation.

COASTAL SLATE

BUFF

4 UNIT RANDOM BUNDLE





Standard Unit 1 8 x 9-10 x 21/4" 200 x 230-250 x 57mm Standard Unit 2 12 x 9-10 x 21/4" 300 x 230-250 x 57mm





Standard Unit 3 12 x 9-10 x 21/4" 300 x 230-250 x 57mm Standard Unit 4 17 x 9-10 x 21/4" 425 x 230-250 x 57mm

PILLAR UNIT

COMING SOON



20 x 20 x 4½" 500 x 500 x 114mm Center opening 9 x 9"

4 UNIT JUMPER BUNDLE COMING SOON





Jumper Unit 1 8 x 9-10 x 4½" 200 x 230-250 x 114mm Jumper Unit 2 12 x 9-10 x 4½" 300 x 230-250 x 114mm





Jumper Unit 3 12 x 9-10 x 4½" 300 x 230-250 x 114mm Jumper Unit 4 17 x 9-10 x 4½" 425 x 230-250 x 114mm



Completed Unit Shown Pillar cap Sold Separately

2 UNIT CORNER BUNDLE



Long Corner Unit 17½ x 9-10 x 2½" 450 x 230-250 x 57mm



Short Corner Unit 14½ x 9-10 x 2¼" 375 x 230-250 x 57mm

JUMPER CORNER UNIT



COMING SOON

12 x 9-10 x 4½" 450 x 230-250 x 114mm


RIVERCREST FIRE PIT KIT COMING SOON



Fire pit kit insert sold separately. See page 180 for more details.



UNIVERSAL U-GRIP™ BASE UNIT 19 x 14 x 21/4" 482 x 355 x 55mm




SienaEdge™








GRANITE FIELDSTONE CHARCOAL



STANDARD / CORNER UNIT35½ x 11½ x 7"
900 x 290 x 180mm



NOTE: Coping Unit can also act as a closed end unit with the unique patented locking mechanism.

COPING 35½ x 11½ x 7" 900 x 290 x 180mm




SienaStone[™]




SPECIAL ORDER


NATURAL



STANDARD 500 20 x 471/4 x 71/4" 500 x 1200 x 185mm



COPING20 x 471/4 x 71/4"
500 x 1200 x 185mm



CORNER 90 (LEFT & RIGHT) 20 x 431/3 x 71/4" 500 x 1100 x 185mm




CORNER 45 (LEFT & RIGHT) 19³/₄ x 36¹/₂ x 7³/₆" 500 x 925 x 185mm

U-Cara® Multi-Face Wall System

ENDURACOLOR FASCIA PANELS

SMOOTH PANELS









OPAL BLEND

OAT BEIGE (CHAMPAGNE) DARK CHARCOAL









BAVARIAN

FOSSIL

▲ NEW

INDIANA BUFF A NEW

STERLING

NEW

UMBRIANO PANELS











SUMMER WHEAT

GRENADA WHITE WINTER MARVEL

FRENCH GREY

MIDNIGHT SKY

PITCHED PANELS







SERIES 3" PANEL

FOSSIL

GRANITE FUSION

BAVARIAN

ONYX BLACK

SUBWAY PANELS





LAVANO PANELS






OPAL BLEND

DARK CHARCOAL

GRANITE FUSION

FOSSIL

INDIANA BUFF A NEW







 $\textbf{TOP} \qquad \text{Granite Fusion Smooth with Dark Charcoal accent and Arcana}^{\text{m}} \, \text{pavers}$

LEFT Opal Blend Subway with Urban[™] slabs

RIGHT Dark Charcoal Smooth

U-Cara® Multi-Face Wall System




U-Cara received the "red dot" award for high design quality and innovation.



BASE UNIT



BACKER BLOCKS



UNIVERSAL U-GRIP™ BASE UNIT 19 x 14 x 21/4"

482 x 355 x 55mm



SureTrack Large Backer $11\frac{5}{8} \times 7\frac{1}{2} \times 5\frac{7}{8}$ " 294 x 190 x 150mm



SureTrack Corner/Pillar 115/8 x 67/8 x 57/8" 294 x 175 x 150mm




7½ x 5% x 5%" 190 x 150 x 150mm



SureTrack **Corner Insert** L = 2" 50mm





6" Standard Fascia 183/8 x 23/8 x 57/8" 466 x 60 x 150mm



3" Series Panel 9 x 23/8 x 27/8" 231 x 60 x 71mm

2 UNIT CORNER BUNDLE



Closed-End Fascia Panel 20% x 23/8 x 57/8" 530 x 60 x 150mm



Standard Fascia Half Panel

91/4 x 23/8 x 57/8" 233 x 60 x 150mm

FASCIA PANEL STYLES



PITCHED



UMBRIANO®





3" SERIES™ **SUBWAY**

LAVANO

COPING

BEACON HILL™



SEE PAGE 191

NATURAL STONE

SEE PAGE 195



UMBRIANO



SEE PAGE 190

UNIVERSAL COPING




SEE PAGE 187

URBAN



SEE PAGE 189







TOP Winter Marvel with Umbriano (French Grey) pavers and Umbriano coping


 $\textbf{LEFT} \quad \text{Indiana Buff Smooth with Umbriano}^{\circ} \, \text{coping and Urban}^{^{\bowtie}} \, \text{pavers}$

RIGHT Granite Fusion Pitched with Umbriano French Grey and Copthorne° (Basalt) accents with Ledgestone coping and Pillar Cap


U-Cara^{*} Modular System

Our U-Cara Modular System offers a variety of aluminium frames that can be mixed and matched to construct vertical features like grill islands, fire features and pillars.













Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

U-Cara^{*} Wall Mount System

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures with U-Cara fascia panels.







Ideal for garden sheds, wing walls, exposed foundation, existing steps or concrete and wood substrates.


Fire pits and Fire Features

Imagine flames crackling on a cool night, curling up under the stars with friends and family, and sipping a warm cup of hot chocolate. Soak up that sense of bliss from your backyard with a Unilock fire pit!









HEAT DAMAGE PREVENTION

To ensure a long-lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

NOTE: Large fires and extreme heat are detrimental to concrete.

SUNSET FIRE PIT KIT See page 158 for colors.



FIRE PIT INSERT

Fire pit insert fits securely into the fire pit. Sold separately.

Round and Square shapes available.

LINEO FIRE PIT See page 162 for colors.



FIRE PIT INSERT

Fire pit insert fits securely into the fire pit. Sold separately.

Outdoor Kitchens

There's nothing more fun than cooking alfresco. An outdoor kitchen is an entire, defined space dedicated to preparing meals among family and friends, but with a much livelier backdrop!





Learn about things to consider when designing your outdoor kitchen.








Design Considerations

Think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather in the elements over time.






From a practical side, an outdoor kitchen is an extension of your home's living and entertaining space, allowing you to make the most of your backyard.

Water Features & Pillars

From fountains and ponds, to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.









Elevate your outdoor space to new heights by incorporating pillars into your design. With varying heights and functions, pillars create a sense of permanence and strength while also adding visual flair. Take it a step further by incorporating landscape lighting into your pillars to set the mood at night.

Creative Ideas


The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!



This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill™ Smooth and Universal Coping treads.









Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

Architectural Coping & Pillar Cap






BUFF




CHARCOAL





COPING24 x 14 x 2³/₈"
609 x 355 x 60mm




PILLAR CAP 28 x 28 x 3" 711 x 711 x 75mm

Universal Coping





GREY




COPING/STEP TREAD 14 x 19 x 2³/₄" 355 x 482 x 70mm



Fullnose[™] Coping

Brussels Fullnose™



6 x 12" Fullnose



BRUSSELS FULLNOSE




SANDSTONE SIERRA



A CHARC



CHARCOAL



LIMESTONE

6 X 12 FULLNOSE



SANDSTONE



SIERRA



CHARCOAL



LIMESTONE



6 x 12 5% x 11% x 23/8" 150 x 300 x 60mm

Urban™ Coping








ENDURACOLOR"





LINEN BUFF

LINEN GREY



FULLNOSE 35½ x 19 x 2¾8" 900 x 485 x 60mm




CHAMFERED 35½ x 19 x 2³/₈" 900 x 485 x 60mm

Umbriano Coping



Exclusive to **UNILOCK**





ENDURACOLOR



SUMMER WHEAT



GRENADA WHITE



WINTER MARVEL



FRENCH GREY



MIDNIGHT SKY



CHAMFERED 24 x 14 x 2³/₈" 600 x 360 x 60mm



FULLNOSE 24 x 14 x 2³/₈" 600 x 360 x 60mm





ENDURACOLOR"








OAT BEIGE (CHAMPAGNE)



DARK CHARCOAL




CHAMFERED 24 x 14 x 2³/₈" 600 x 360 x 60mm



FULLNOSE 24 x 14 x 2³/₈" 600 x 360 x 60mm

Ledgestone™ Steps, Coping & Pillar Cap










BUFF

ROCKFACE COPING

24 x 12 x 2³/₈"

GREY

610 x 305 x 70mm



ROCKFACE CLOSED-END COPING

24 x 12 x 2³/₈" 610 x 305 x 70mm



COPING/STEP TREAD $30 \times 14 \times 2^{3}/4$ "


ROCKFACE LARGE

762 x 343 x 70mm



ROCKFACE LARGE CLOSED-END COPING

 $30 \times 14 \times 2^{3}/4$ " 762 x 343 x 70mm



FULLNOSE COPING

24 x 12 x 23/8" 610 x 305 x 70mm




24" PILLAR CAP **ROCKFACE**

24 x 24 x 31/8" 610 x 610 x 100mm




ROCKFACE FIRE PIT COPING

211/2 x 10 x 25/8" 546 x 254 x 65mm




28" PILLAR CAP **ROCKFACE**

 $28\frac{1}{2} \times 28\frac{1}{2} \times 4$ " 740 x 740 x 100mm



48" STEP **ROCKFACE**


24 x 48 x 51/8" 610 x 1220 x 150mm



72" STEP ROCKFACE

24 x 72 x 6" 610 x 1830 x 150mm

Pisa™ XL Smooth Coping





GRANITE






SANDSTONE



NATURAL GREY






COPING 15³/₄ x 12³/₄ x 3" 400 x 325 x 75 mm

CHARCOAL

Estate Wall™ Coping





GRANITE



RIVER




SANDSTONE

SIERRA




COPING 12½ (9½) x 12 x 3" 320 (240) x 300 x 75mm




SienaStone™ Smooth Step



DUSK





48" STEP 471/4 x 20 x 7" 1200 x 500 x 180 mm

SienaStone Coping




GRANITE



SIERRA



NEVADA



COPING 39 x 20 x 71/4" 1000 x 500 x 185mm



Natural Stone Coping, Steps & Pillar Caps









CASCADE

▲ NEW

BLACK RIVER

GREYFIELD

STONE CLIFF GREY

COPING

Fullnose, Rockface and Straight Edge




48 x 12 47½ x 11% x 2" 1200 x 300 x 50




48 x 14 47½ x 14 x 2″ 1200 x 355 x 50

NEW CORNER COPING

Fullnose and Straight Edge



28 x 14 28 x 14 x 2" 710 x 355 x 50



24 x 12 235/8 x 117/8 x 2" 600 x 300 x 50


NEW INSERT COPING

Sawn Edge




PILLAR CAPS

Rockface and Straight Edge




24" PILLAR CAP 235% x 235% x 25%" 600 x 600 x 64mm



28" PILLAR CAP 28 x 28 x 25%" 710 x 710 x 64mm

STEP

Rockface and Straight Edge



48 x 16 471/4 x 15³/4 x 57/8" 1200 x 400 x 150

EDGE DETAILS









Fullnose

Rockface

Straight Edge








Our natural stone coping pairs beautifully with Unilock pavers and slabs. See below for a list of popular combinations.

| | | NATU | RAL STONE CO | LORS | |
|--------|----------------|-------------|--------------|-----------|------------------|
| | | Black River | Cascade | Greyfield | Stone Cliff Grey |
| | Arctic Grey | • | | • | |
| | Basalt | | • | • | • |
| | Burgundy Red | • | | | • |
| ORS | Burnt Clay | | | | • |
| 0 T (| Corvara | • | | | |
| S. | Dark Charcoal | | • | • | • |
| VEF | Dawn Mist | • | • | | |
| РА | Fossil | | • | | • |
| C X | French Grey | | • | • | |
| Γ0 | Granite Fusion | • | • | • | • |
| N N | Grenada White | • | • | • | |
| RY (| Light Granite | • | • | | |
| TAF | Midnight Sky | • | | | |
| И | Modena | | | • | • |
| Ш | Oat Beige | • | • | | • |
| PL | Opal Blend | • | | | |
| M 0 | Sable Blend | • | | | • |
| O | Sterling | | | | • |
| | Summer Wheat | • | | | |
| | Vivanto | • | | • | |
| | Winter Marvel | • | | • | |



Learn & Plan

Nothing ventured, nothing gained! Transform your hardscape ideas into bold, thrilling reality with the right help, knowledge and preparation. Unilock has the experts, the plans and the tools you need to succeed!



Finding the right Contractor

Even the best materials can be spoiled by subpar installation and craftsmanship, which is why choosing the right contractor for the job is the most crucial decision for your project. Remember that the cheapest quote is rarely the best option, so make sure to ask the right questions.



Guaranteed to do the job right.



Unilock Authorized Contractors have met our exacting standards for installation methods and business practices. Connect with us online, by phone or at one of our locations and we'll be happy to connect you with a contractor in your area who is guaranteed to do the job right. We stand behind our contractors with a 2-year workmanship guarantee.



Register online at Unilock.com and we'll match you with a Unilock Authorized Contractor in your area.



Contractor Checklist

| 1 | Check Credentials | How long has the contractor been installing pavers and walls? Has the contractor installed projects in the past with the features you're considering? |
|---|--------------------------|---|
| 2 | Review Portfolio | Look at their past work. Great contractors will have a number of their projects to show off. Do they offer any type of design services and what is the cost for this? Is the contractor's style and design something you would like for your project? |
| 3 | Assess Workmanship | Ask to see a project or two that the contractor completed more than two years ago to see how their work has held up. Look for nice neat cuts and edge restraints that are still in place. Do they warranty their work? Have they had any warranty claims in the past? |
| 4 | Learn about the Crew | Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask how these sub-contractors will be vetted and managed. |
| 5 | Jobsite Preparation | What are the contractor's base preparation methods? What materials are used and why? Is there a standard procedure for base preparation or will the contractor assess your site's unique needs? |
| 6 | Schedule and Timeline | How far in advance are projects being booked and how long might your project take? What are the contractor's payment terms? Do they require a deposit upfront to secure the timing of the project? |
| 7 | Read the Fine Print | Does the contractor have the proper licensing for their work? Does the contractor have liability insurance and are employees covered by Workers Compensation? Will permits be required for the job and if so, who is responsible to secure them? |
| 8 | Listen to your Gut | Do you like and trust this contractor? Can you communicate easily? Will the person you are meeting now be on-site throughout the project, or will there be a different daily contact? Double check your gut impression by reaching out to references. |



Scan here for our Unilock Project Planning Guide.

Unilock Resources

Your all-in-one resource hub to help kick-start your hardscape project, the Unilock way!

Unilock.com

Throughout your project journey we know you'll have lots of questions, and our website has answers. From the hundreds of topics covered in our Knowledge Center, to design advice and inspiration, we're here to help far beyond your selection of Unilock products.



Knowledge Center



Design Advice



Project Planning Guide



Unilock Authorized Contractors





BUILD NOW, PAY LATER

The Unilock Do-it-Now Payment plan makes it possible to complete your project now and pay later.

*Only available from participating contractors.



Scan for more details.



Frequently Asked Questions



Do-It-Yourself Guides



Project Maintenance



Transferable Lifetime Guarantee





UNILOCK Outdoor Idea Center

Come visit us in Aurora, Illinois

See

An expansive display of Unilock products in a life-size outdoor setting

Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

Take

FREE samples of Unilock paver and wall products home with you.



Scan here for more information and a 3D virtual tour!

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.







3D Rendering Created with Uvision® 3D Design Software



Finished Project

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Connect with us online or by phone to find a qualified contractor who can prepare a 3D design for your project!

BuildBasics



1 EXCAVATION

All outdoor projects should begin with the removal of grass and topsoil. The depth will be determined by two things:

- 1. Soil Type Sandier soil requires less excavation than clay-based soil.
- **2. Use** Patios and walkways, which take lighter loads should require less excavation than driveways and retaining walls, which require deeper excavation.

Depth of excavation can be reduced significantly if a layer of DriveGrid is placed at the bottom of the excavation before gravel gets placed. Loose subsoil should always be compacted prior to installing DriveGrid and gravel.

A proper base ensures that your pavers and walls won't shift during freeze thaw cycles.

2 GRAVEL BASE

A gravel base is placed into the excavated area. Ideally, this gravel base will need to be:

- > Strong enough to support the weight of anything placed on the surface.
- > **Free draining** to allow water to escape the base and enter the subsoil. A perforated drain pipe in the gravel base may be necessary for retaining walls in order to direct water away from the wall's base.
- > **Extended** at least 6" (150mm) beyond the finished paver surface's edges.
- > **Compacted** in several layers, using the proper equipment.

3 BEDDING LAYER

On top of the firm gravel base, a 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed. This layer enables the levelling or sloping of paver or wall units for drainage and smoothness.

Some contractors may recommend a poured concrete surface over a standard bedding layer, which is acceptable if the concrete is carefully poured and rests on a solid, well-drained base.

Note: Once concrete is poured, the height of paver or wall units can no longer be adjusted.



4 RESTRAINT SYSTEM

To prevent pavers from shifting, a concrete edge will be constructed or an edge restraint fixed with long metal spikes. For walls, adhesive can be used to secure rows of blocks together. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

5 JOINT MATERIAL

There are three types of joint material to choose from:

Basic Jointing Sand – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you decide to choose basic sand, we advise using a joint stabilizing sealant and be ready to top up the sand as necessary.

Polymeric Sand – This special sand is blended with a binding ingredient to help it stay in place longer. Check with your local Unilock Dealer for the best jointing sand/compound for your project.

Resin Sand – Resin sands are the strongest jointing sand available, and have been proven to have the longest lifespan of any jointing sand. Different resin sands are available for various uses.

6 SEALING


Unilock pavers will be durable with or without a sealer. Some homeowners may choose to apply a sealer to enhance paver color, while others choose to appreciate the color of the pavers as they are. If you decide to seal, be prepared to re-seal your pavers every 3-5 years.

Factory-Sealed Products


Elegance® pavers and Unilock® pavers manufactured with EasyClean® have been pre-sealed at the factory.

To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you wish to re-seal, wait a minimum of three years before applying sealant. Use only solvent-based sealants on factory-sealed products.

PAVER CONSTRUCTION



WALL CONSTRUCTION





Our Quality Commitment



Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.

LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS - Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment, damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. While EasyClean helps to increase a paver's resistance to staining from various substances, it does not make our products stain-proof nor does it resist every kind of stain. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi. org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even



Visit Unilock.com to register for your Transferable Lifetime Guarantee.

if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color. Note: Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product

inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of pavers. Unilock warranties do not cover

stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

FIRE PIT WARNING

Unilock warranties do not cover damage that is heat related. Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.

COVER

Beacon Hill Smooth with Copthorne accents and Rivercrest Wall with Natural Stone coping

Index

PAVERS AND SLABS

| Arcana™ | 94 |
|--------------------------------------|---------------|
| Artline™ | 98 |
| Artline / Umbriano | 96 |
| Artline / II Campo | 97 |
| Beacon Hill™ Flagstone | 100 |
| Beacon Hill Smooth / 60mm | 102 |
| Beacon Hill Smooth / 80mm | 104 |
| Beacon Hill Smooth Slab | 106 |
| Bristol Valley® | 108 |
| Brussels Block® | 110 |
| Copthorne [®] | 82 & 112 |
| Courtstone® | 84 & 114 |
| Eco-Hex [™] ⊘ NEW | 115 |
| Eco-Priora [™] ⊘ | 117 |
| Eco-Priora Premier 🐠 | 118 |
| Eco-Promenade™ / EcoTerra™ ⊘ N | EW 116 |
| Eco-Promenade / Series @ | 119 |
| Eco-Promenade / Umbriano 🗞 | 120 |
| Granito™ | 122 |
| Hollandstone [™] | 124 |
| Holland Premier™ | 126 |
| Mattoni™ | 127 |
| Natural Stone | 75-78 |
| Nordic Cobble [™] ⊘ | 128 |
| Porcelain Tile | 154 |
| Richcliff® | 86 & 130 |
| Series [™] | 132 |
| Skyline [™] | 133 |
| Soreno [™] | 134 |
| Town Hall® | 88 & 136 |
| Treo Smooth @ | 138 |
| Tribeca Cobble [™] ⊘ | 140 |
| Umbriano [®] | 142-146 |
| Urban [™] NEW | 148 |
| Westport [™] | 150 |
| Westport Smooth | 152 |

RETAINING WALLS AND VERTICALS

| Brussels Dimensional Stone® | 158 |
|---------------------------------------|----------|
| Estate Wall™ | 160 |
| Lineo [™] Dimensional Stone | 162 |
| Olde Quarry™ | 164 |
| Pisa™XL | 165 |
| Pisa XL Smooth | 166 |
| Quarry [™] Smooth NEW | 168 |
| Rivercrest® Wall | 90 & 170 |
| SienaEdge™ | 171 |
| SienaStone™ | 172 |
| U-Cara® | 173-176 |
| U-Cara Modular System | 177 |
| U-Cara Wall Mount System | 178 |
| | |
| | |

STEPS, TREADS, COPING & CAPS

| Architectural Coping & Pillar Cap | 187 |
|-----------------------------------|-----|
| Beacon Hill Coping NEW | 191 |
| Estate Wall™ | 193 |
| Fullnose™ | 188 |
| Ledgestone™ | 192 |
| Natural Stone | 195 |
| Pisa XL Smooth Coping | 193 |
| SienaStone | 194 |
| SienaStone Smooth | 194 |
| Umbriano Coping | 190 |
| Universal Coping | 187 |
| Urban Coping NEW | 189 |
| | |


COLLECTIONS

| Arcana | 64 |
|-------------|----|
| Beacon Hill | 68 |
| Umbriano | 72 |

TOPICS OF INTEREST

| Build Basics | 205 |
|--------------------------------------|--------------|
| Contractor Tips | 200 |
| Creative Ideas | 184 |
| EnduraColor™ | 56 |
| Elegance™ | 79-90 |
| EasyClean™ | 55 |
| Fire pits & Fire Features | 180 |
| Finishes | 52 |
| Joint Material | 53 |
| Laying Patterns | 50 |
| Natural Stone | 77 & 195 |
| Outdoor Idea Center | 203 |
| Outdoor Kitchens | 181 |
| Pavers & Slabs | 92 |
| Permeable Pavements | 59 |
| Pillars | 183 |
| Retaining Walls | 156 |
| Steps, Treads, Coping & Pillar Caps. | 186 |
| Sustainability | 57 |
| Unilock Resources | 2 0 1 |
| Unique Touches | 54 |
| Uvision | 204 |
| Water Features | 183 |
| | |

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano* are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock*. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.





CHICAGO

(630) 892-9191

MILWAUKEE

(262) 742-3890

KANSAS

(913) 417-7985

BOSTON

(508) 278-4536

NEW YORK

(845) 278-6700

MID-ATLANTIC

(202) 798-2060

MICHIGAN

(248) 437-7037

ONTARIO

(416) 646-9000

QUÉBEC

(450) 546-2797

CINCINNATI / KY / TN

(513) 202-0219

OHIO / WESTERN PA

/ WNY & CNY (330) 927-4000

UNILOCK.COM 1-800-UNILOCK

